

## Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO28301	Receipt Dates from 5/5/2015 to 5/5/2015

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Total Received Quantity:	77.0000
Total Qty to Inspect (PO U/M):	0.0000
Total Reject Quantity:	0.0000
Total Receipt Value:	\$972.13
Total Balance Due Quantity:	0.0000



DISTRIBUTEUR D'ACIER ET DE MÉTAUX SPÉCIALISÉS  
STEEL AND SPECIALTY METALS DISTRIBUTOR  
[www.aciercampi.com](http://www.aciercampi.com)

Journal of Management Inquiry 20(4) 409-424

COLLIMIL  
ORDER  
N°  
247439

DATE	01/05/15
BON DE LIVRAISON PACKING SLIP N°	
DATE DE LIVRAISON	05/05/15
DELIVERY DATE	

REMARQUES / REMARKS	PAGE N°
	001

PRIX PRICE	PAR PER	*	MONTANT AMOUNT
Contrôle Qualité			
te de matériel	<input type="checkbox"/>		
ension	<input type="checkbox"/>		
gueur	<input type="checkbox"/>		
antité	<input type="checkbox"/>		
érance	<input type="checkbox"/>		
ements clivers	<input type="checkbox"/>		
pecté par :			

<p>AND CASHIER. • ALL THE BUYER HEREBY AGREE TO ACCEPT THE ACT WILL LEAD TO THE PROGRESS SOLD, IN FULL, IN ADVANCE.</p>	<p>SOU-S-TOTAL SUB TOTAL</p>
<p>T.P.S. G.S.T.</p>	
<p>T.V.Q./T.V.H. G.S.T./H.S.T.</p>	



SBR- .375- -CD -304L \* 32419 \* 1005757 \* MX6534 \* 1/31/2014

61881

# VIRAJ PROFILES LIMITED

**VIRAJ**

Regd & Mkt off: G-33 & 34, MIDC, Industrial Area, Tarapur, Thane (Dist), Maharashtra, INDIA - 401506, E-Mail: sales@viraj.com  
Works: SURVEY No- 114, 119 & 120, VILL. Mahagaon, Tal: Palgar, Dist: Thane-401501, MAHARASTRA, INDIA, vietqc@viraj.com

RSS 38

## TEST CERTIFICATE

<b>CUSTOMER</b> FIDELITY PAC METALS LTD. 1303 North Service Rd East, Unit 1, Oakville ON L6H 1A7 CANADA.	<b>ORDER NO</b> PO2868	<b>PACKING LIST NO</b> 51/967492/11	<b>INSPECTION NO</b> 100003598317	<b>DATE</b> 27.02.2014
			<b>GRADE</b> 304/304L	<b>HEAT No</b> 32419

**BUNDLE NO :**  
1100127369, 1100127370, 1100127371.

**DESCRIPTION**  
STAINLESS STEEL BRIGHT BARS

COLD DRAWN POLISHED - 2H

SIZE	SHAPE	TOLERANCE	LENGTH	PIECES	WEIGHT
3/8"	ROUND	ASTM A484	12' - 14'	641	2,923.000 LB

### CHEMICAL ANALYSIS

%C	%Mn	%Si	%S	%P	%Cr	%Ni	%Cu	%Mo	%Co	%N2
0.0180	1.140	0.350	0.0200	0.0360	18.400	8.020	0.590	0.270	0.160	0.07400

### TEST RESULTS

0.2% yield strength ksi	Tensile Strength ksi	Elongation %	Reduction Of Area %	Hardness BHN	Grain Size NOS
95.0	110.0	43.0	70.0	223.0	7.0

### SPECIFICATION:

MATERIAL CONFIRMS TO DIN EN 10088-3:2005/WNR 1.4301/1.4307 EN 10222-5 AND EN 10272 COND-A & ASTM A182/A-182M-11, A276-13 COND A, A479/A479M-13 COND A, A193/A193M-11a B8 CL-1, A320/A320M-11a B8 CL-1, A484 11, A388/A388M-05, ASME SA182-04, SA479-04, SA 193-04 B8 CL-1, SA320-04 B8 CL-1, ASTM A314-2002, IGC SATISFACTORY AS PER ASTM A 262-10 PRACTICE E, AMS 5639H /AMS5647H (EXCEPT MARKING), QQ-S-763F, NACE MR0103, NACE-MR0175-2003, SAE-AMS-S-7720A, MIL-S-862-B, AISI 304/304L & UNS#S30400/S30403, CERTIFICATION AS PER EN 10204-3.1.

### REMARKS

MATERIAL IS FREE FROM MERCURY CONTAMINATION, FREE FROM WELD OR WELD REPAIRS, MICRO-FREE FROM CONTINUOUS CARBIDE NETWORK ON GRAIN BOUNDARIES, MACRO-GOOD, MINIMUM SOLUTION ANNEALING TEMPERATURE 1050C, SOAKING TIME 1 1/2 HRS, WATER QUENCHED, MELT SOURCE: AOD. WE CONFIRM THAT THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE CONTAMINATION, COUNTRY OF ORIGIN: INDIA.

We hereby certify that the material described above has been tested and complies with the terms of order/contract.

Q.C. Reviewed  
SK07/31/14

WORKS INSPECTOR  
K R K MURTHY



Material Test Report

Ship To:

Manifest: 272337Ticket:  
5345729

Our Order: 400728 - 6

Cust P.O.: LAV-15648

Die: ES05691

Part: 3420604

Alloy Temper: 6061 T6

Description: .375 x 1.000

Print Date: 1/15/14

CML 15/05/11

Chemical Composition Range

6061	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OtherEach	OtherTotal
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

Mechanical Properties

Strength ksi

<u>Sample</u> <u>ID</u>	<u>Cast #</u>	<u>Lot #</u>	<u>Test</u> <u>Date</u>	<u>Ultimate</u> <u>Tensile</u>	<u>Yield</u> <u>2% offset</u>	<u>Elongation</u> <u>2" gage length</u>
500686	13121091A	A11	1/14/14	41.76	37.37	11.4


Applicable Specifications: ASTMB221-13 QQA200/8

Country of Origin: ONTARIO, CANADA

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Ray Hussain - Tensile Testing

Authorized:

  
Evan Eng, Quality Assurance Mgr.



## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M30LR0375  
 DATE: 15-05-08

PO / BATCH NO.: 1028301 / M132209

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12'  
 QUANTITY INSPECTED: 12'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .375"  
 THICKNESS RECEIVED: .395"  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	
CORRECT REF # TO LINK CERT	(Y)	N	# 32419
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>9-89</u> DATE: <u>15-05-08</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M606 TL  
DATE: 15/05/06

PO / BATCH NO.: 28361/M132209

MATERIAL CERT REC'D: yes  
QUANTITY RECEIVED: 6.0  
QUANTITY INSPECTED: 6.0  
QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: .375X1.00  
THICKNESS RECEIVED: .375X1.00  
SHEET SIZE ORDERED: \_\_\_\_\_  
SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	
CORRECT REF # TO LINK CERT	(Y)	N	
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.  
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: DAS  
14  
9-89


SIGNED OFF BY: \_\_\_\_\_

DATE: 15/05/06

DATE: \_\_\_\_\_

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



	Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577 Fax: 613 632 1053
--	---

## PURCHASE ORDER

Purchase Order ID **PO28301**

Purchase Order Date 4/29/2015

PO Print Date 4/29/2015

Page Number 1 of 4

Order From :	VC-CAM002	Ship To :	DART AEROSPACE LTD
CAMPI STEEL		1270 ABERDEEN	
935 BOUL. DU HAVRE		HAWKESBURY, ON K6A 1K7	
VALLEYFIELD, QC J6S 5L1		CANADA	
CA			

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	800 667 4248	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	Yours ppd	FOB	FCA - (Free Carrier)
Ship Acct:			

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
1	M6061T6B0.375X01.000	6061T6 BAR .375 x 1.00	5/4/2015 Yes 5/4/2015		48.00 f Loop recu	\$1.17	\$56.38
	MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221						
						Line Total:	\$56.38
2	M6061T6B0.750X00.750	6061-T6 Bar .750 x .750	5/4/2015 Yes 5/4/2015		20.00 f ✓	\$2.25	\$45.01
	MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221						
						Line Total:	\$45.01

Note:

4/29/2015





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO28301**

Purchase Order Date 4/29/2015

PO Print Date 4/29/2015

Page Number 2 of 4

Order From :  
CAMPI STEEL  
935 BOUL. DU HAVRE  
VALLEYFIELD, QC J6S 5L1  
CA

VC-CAM002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 800 667 4248

**Ship To Contact**

**Ship To Phone**

**Ship Via:** Yours ppd

**Ship Acct:**

**Buyer**

**Customer POID**

**Customer Tax #** 10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

FCA - (Free Carrier)

Chantal Lavoie

3 M304R0.375 304 ROUND BAR 0.375 5/4/2015  
Yes  
5/4/2015

12.00 ✓ \$1.19 \$14.32  
f

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

(NOTE: AISI 303 NOT ACCEPTABLE)

Sp 15-05-5

**Line Total:** \$14.32

4 71725-45 PLATE HRPO 1/4" 5/4/2015  
THICK X 5 X 8 Yes  
5/4/2015

5.00 ✓ \$217.60 \$1,088.00  
Each

Sp 15-05-5

**Line Total:** \$1,088.00

**Deliver To:** ERIC.C

5 71525-10 6061T6 BAR 1 X 2 5/4/2015  
Yes  
5/4/2015

24.00 ✓ \$3.71 \$89.00  
f

Sp 15-05-4

**Line Total:** \$89.00

**Deliver To:** JEAN-LUC

**Note:**

4/29/2015